

ASPECT CATEGORY DETECTION

V.Krishnaveni¹, N.Saritha², N.Savitha³

¹Assistant Professor , CSE, Swarna Bharathi institute of science and technology, Khammam, TG, India. Email: veni.ch1801@gmail.com

²Associate Professor , CSE(DS), Swarna Bharathi institute of science and technology, Khammam, TG, India. Email: sarithanune@gmail.com

³Assistant Professor, CSE(DS), Swarna Bharathi institute of science and technology, Khammam, TG, India. Email: savitha.natuva@gmail.com

ABSTRACT

Among the several tasks that make up aspect-based sentiment analysis (ABSA), aspect identification stands out as the most important. It is a challenging problem to address because of the subjectivity of classification and the fact that classes often overlap. The bulk of the machine learning algorithms utilized to address ACD have been statistical behavior-based rule-based strategies. The approach used in this article is based on association rules.

To overcome association rules' statistical shortcomings, we devised a mixed-principles approach that combines association rule mining with semantic associations. We used word-embed as a means of establishing semantic connections. The SemEval dataset, a benchmark for feature classification in the industry, was used to conduct the studies. We found that, in addition to statistical relationships, semantic links might improve classification accuracy. In comparison to other statistical approaches, the one put out fared better.

KEYWORDS Word-embedding, Aspect Category Detection, Review Analysis, Semantic Association, Association Rule

1. INTRODUCTION

Blogs and reviews are two examples of the internet sources of opinionated data that consumers are increasingly use to evaluate businesses, services, and goods. People also no longer have to rely on just one source for guidance due to the proliferation of community-based platforms like blogs, Instagram, and review sites. A growing number of people are turning to online product reviews before making a purchase. These unstructured evaluations are widely available, but it may be difficult to glean useful information from them. There are too many for anybody to read. Therefore, it is necessary to mechanically extract information from these reviews. More significant than the review's actual substance is the tone it conveys in the majority of cases. Consequently, we are faced with a well recognized challenge in sentiment analysis. A popular way to convey sentiment analysis is as a true or false classification, where the whole content might be described as positive or negative. Having

said that, this is only a generic formulation. others of the characteristics (aspects) of a product or entity may be bad and others may be good, depending on the document. This makes aspect-based sentiment analysis an increasingly challenging issue. In addition to collecting customer input for each component or feature of a company or product that is detailed in reviews, ABSA is the process of dogging in and of itself.[1] The job's implementation is challenging, even though ABSA may be seen as a multi-class classification work. Two of the subtasks of ABCA are the identification of aspect-phrases and the assessment of the perception connected to the provided words. Further information on ABSA is provided by a research conducted by Schouten et al. [2].Aspect words may be either singular and presenting a broad trait or plural and corresponding to the same aspect. Pasta and pizza, for instance, may go well with the FOOD aspect of the restaurant domain. Sorting words according to their general characteristics is called aspect classification. A granular being refers to an aspect, whereas a coarse entity is an aspect category. In a perfect world, we'd be able to identify certain types of features associated with a product or domain. The recognized facet .Restaurant domain categories might include things like SERVICE, AMBIENCE, FOOD, and PRICE. Subjectivity abounds in the category of aspect, however; for example, aspect categories can be vague, and classes might overlap. The bulk of the time, the paper identifies feature categories in passing. A significant subtask of the ABCA, the laid paper seeks to resolve the challenging issue of aspect categorization. Great strides have been made in this field, but they are dwarfed by the accomplishments in sentiment analysis. Many earlier works relied on statistical or semantic methods to establish connections between document categories and the phrases used to describe them. The two systems are not without their flaws. We merged these two approaches in order to take use of additional relationships. To capture statistical and semantic relationships, we used word-embedding in addition to association rules. As far as we are aware, this approach has never been used previously in the field of aspect

classification. Our method provides a new angle on the challenging problem of aspect classification, which is especially welcome given the dearth of literature in this area. Despite our technique's independence from any particular domain, we put it through its paces using SemEval2014's standard data from the restaurant domain. The remainder of the article is structured as follows. Part 2 delves into the history and driving forces. Identical efforts to identify aspect categories (ACD) are covered in section 3. Section 4 lays out our suggested methodology in full. The experimental setup and results are detailed in section 5. Finally, the conclusion and suggestions for further research are included in Section 6.

2. HISTORY AND MOTIVATION

The classification of features is the subject of our investigation; this is a vague and speculative term. So, here we focus on describing the aspect categorization issue more objectively. To further understand the issue statement, Table 1 provides review words together with the categories and aspect-terms that go along with it. The examples given provide a clean separation between the concept of aspect-terms and the category of aspect. Table 1 shows that there is more than one possible classification for a statement of review. Additionally, this table displays three additional choices. When the aspect word and its category are well defined, like in the third and fourth cases, we get the first example. Because this is a simple example, it is far simpler to determine which aspect category applies to a given review statement. This is followed by instances when an aspect-term is used to indicate a category of aspects (first and sixth). Finally, there are cases when neither the aspect category nor the feature word is provided (2nd and 5th). Determining aspect categories becomes more challenging when the aspect word is suggested rather than explicitly stated in the text. When that happens, it's not possible to infer the aspect category without additional information like domain knowledge or contextual data. Much research has been conducted on the subject of review sentiment analysis. Unfortunately, there has been less research in the area of aspect classification because of a number of issues and subjectivity. The position in the hospitality sector has been detailed.

Table 1. Heading and text fonts.

Review statement	Terms of aspects	Categories of aspect
1. "pizza was delicious."	pizza	FOOD
2. "delicious but expensive."	—	FOOD, PRICE
3. "the food was very cheap."	food	FOOD, PRICE
4. "The food was great."	food	FOOD
5. "It is very overpriced and not very tasty."	—	FOOD, PRICE
6. "Mojito was one of the best items they served"	mojito	FOOD

3. ASSOCIATED WORK

In the linked paper, we have listed the research that are specifically on ACD. The researchers used a number of machine-learning classifiers to ascertain the aspect's category due to the problem's multi-class nature. With the use of different features, Kiritchenko et al.[3] built three 5 support vector machines, one for each of the categories. Lexicon characteristics, word cluster n-grams, character n-grams, stemmed n-grams, and n-grams were used to train support vector machine classifiers. Instead of using a support vector machine (SVM), Alghunaim[4] used a Word2Vec Skip-gram model trained on a Google News dataset to display words as a vector. Then, characteristics including token number (TN), category similarity (CS), and normalized average vector (NAV) were calculated using word vector representation. Linear classification techniques, such as support vector machines (SVMs), may make predictions using the bag-of-words concept. These models still couldn't make use of the phrase's sequential information, even when using word-embedding. When dealing with reviews that have noisy labels, Zhou et al.[5] used a semi-supervised word-embedding method to create continuous word representations. Next, the word vectors are fed into a neural network, which automatically generates deeper and hybrid features. Lastly, a logistic regression classifier is trained using hybrid features to ascertain the aspect category. A word vector was generated by averaging the word vectors in all of the statements. The process of transforming each category into a vector was identical. With every fresh assertion, we calculate the distance between each category. The shortest distance was finally produced by selecting a category. The bulk of these algorithms use simple pre-trained word embedding from Google. It doesn't take emotions into consideration; for example, the word "good" and "bad" vectors were quite similar since they were trained on the same News corpus. To combat ACD, the majority of research has relied on rule-based methods. As an example, Schouten et al.[7] used a normalized number of words and categories correlation matrix. For each statement, we added up the weights of all the words and then normalized the result by taking the total number of terms in the statement. This gave us the score. The next step is to give each statement a score based on each category. For every category, a new threshold was fine-tuned using the training data; this new threshold produces the best possible f1-score. Statements are placed into categories based on their test scores, which are given when they are above the threshold for that category. A word category co-occurrence matrix, similar to the methods outlined before, was used by Schouten et al. [8]. Instead of averaging the weight of each word in the statement, they used the

greatest word weight to get the statement score. Other than that, the procedure remained same. A statement that was not related with any category was given the category MISC/ANC. In order to find categories, Bornebusch et al.[9] used aspect-terms, assuming they were already in use. They are placed in the associated category if the aspect phrase is a category term; if it recognizes the aspect term as bread for a FOOD category, they are placed in the FOOD category. For all other unassigned aspects words, RiTa was used to produce an equivalence between the category and the term (WordNet similarity computation). If the route length is smaller than 0.4, the corresponding category is given the term of aspect. In the absence of an aspect category, ANC/MISC is distributed. When conducting ABSA, Schouten et al.[10] relied on an ontology-driven approach. In comparison to the bag-of-words approach, they only need training data up to 20% in order to generate an output. They train not dependent binary SVM classifiers for each category of aspects. The statement underwent a number of pre-processing operations (including lemmatization, part-of-speech tagging, spelling correction, word-sense disambiguation, tokenization, syntactic analysis, and more) in order to provide attributes for those classifiers. They also created an ontology-specific domain to extract sentiment expression and sentiment target ontology concepts; this helped with aspect labeling and sentiment labeling, even for multi-aspect phrases. While ontology-based methods inherently enhance accuracy, using domain-specific ontologies makes this improvement always more scalable. On top of that, building and updating the ontology is a labor-intensive process. A combination of rule-based methods and a conditional random field (CRF) is used to classify aspects by Patra et al. [11]. Things like aspect-term, sentiment lexicons, WordNet data dependency relations, and POS were used as features. In order to create sentiment, Garcia-Pablos et al.[12] use a combination of a maximum entropy classifier, continuous word embedding, and the LDA method. The output is a weighted list of aspect-terms that includes all feature terms as well as a small number of positive and negative terms. They also show that their software can work as an unsupervised multi-domain ABSA system that supports several languages. Association rule mining was formerly widely utilized by ABSA researchers. According to Liu et al. [13], ABSA was shown to have both explicit and implicit qualities by the use of all strong associations. In Blinov's[6] work (Skip-gram with 300 dimensions), Word2Vec was used to symbolize six words.

4. SUGGESTED METHOD

4.1. Task Definition

With a predefined class of categories $C = \{c_1, c_2, c_3, \dots, c_k\}$ denoting the label of the category area and a set of reviews $R = \{R_1, R_2, R_3, \dots, R_n\}$ containing n number of review statements, the ACD problem could be expressed as absorbing a function $h: R \rightarrow 2C$ using a training set that contains more than one category. One label of the set of categories associated to R_i is denoted by $D = (R_i, Y_i) | 1 \leq i \leq n, Y_i \subseteq C$. The collection of absolute labels or categories assigned to each unseen review r in R is denoted by $h(r) \subseteq C$ in the category of aspect prophecy function $h(\cdot)$.

4.2. The recommended strategy

We provide a rule-based approach that uses statistical and semantic connections between review keywords (words) and associated categories to generate the rules. Here are the main components of the process: 1. Discover the statistical link between the aspect category and review terms using class-based association rules. This will help you select representative words for each aspect category (CARs). 2. Train word embedding on the dataset that is unique to the topic. Third, we found a semantic relationship between review words and aspect categories by using word embedding. Determining Aspect Regulationb. Update the rules to include semantic characteristics by using word embedding. 4. Review the results of the tests and draw conclusions.

4.3. Procedure

After learning the word-embedding model and getting the data ready, we can start developing association rules. Figure 2 shows our technique running on a regular dataset, while Figure 1 shows the abstract process of our model. The method of generating rules consists of the following steps:




Figure 1. Suggested model's flow chart

5. EXPERIMENTAL CONFIGURATION

5.1. Information regarding the database

This article's study is a part of the SemEval-2014 challenge. Therefore, we used the same SemEval2014 task4 dataset from the restaurant domain. There are a total of 3041 training examples and 800 test examples. Sorting customer review comments into distinct groups according to their overall significance is the real issue. These groups are often based on assumptions.

Anectotes/Miscellaneous

Services, PRICE, Ambience, and Food are the five sections that make up the dataset. At least one category is attached to each assessment. This problem of multi-label categorization arises since few reviews are likely to be linked to more than one category. Figure 3 shows the breakdown of the review statement counts in testing and training data by category. Diagram 4 shows that while several categories, like FOOD and ANECDOTES/MISCELLANEOUS, had severe bifurcation in both the testing and training data, the review corpus does not include any such categories. When statements do not belong to any of the other categories, they are marked as ANECDOTES/MISCELLANEOUS. Our model can make predictions in four different areas. In the pre-processing phase, the fifth category is bifurcated.

5.2 Evaluation metric

We take the help of three metrics to evaluate performance: f1-score, recall, and precision. They are calculated in the following manner.

$$Precision = \frac{TP}{TP+FP} \quad (4)$$

■ 4 category ■ 1 category ■ 2 category ■ 3 category




Figure 3. The quota of categories for each review statement




Figure 4. The quota of reviews per category in both testing and training data

$$Recall = \frac{TP}{TP+FN} \quad (5)$$

$$F1 - score = \frac{2 \times Precision \times Recall}{Precision + Recall} \quad (6)$$

where TP, TN, FP, and FN represent the total number of True Positives, True Negatives, False Positives, and False Negatives.

	True label	False label
True Prediction	TP	FP
False Prediction	FN	TN

6. CONCLUSION

A key job of aspect-based sentiment analysis, ACD, was suggested as a principle-based solution in this paper. Rules were established for each aspect group. The idea of the statistical and semantic relationship between words and aspect categories was useful in developing the classification rules. Word embedding and a class-based association approach were used to develop the concepts. Because our solution is not domain specific, it may be used in any domain without changing the algorithm. At the same time, adding domain knowledge may make accuracy even better. We want to start using n-grams as a class signifier instead of unigrams for aspect category forecasting in the future. Studying how to embed text for a combination of phrases is another option for removing context ambiguity. "The hot dog they served was terrible," to give just one example. Even if the review phrase just uses the terms "hot" and "dog" to describe the food, the two words may be used together to describe the food. The term "hot dog" and the FOOD category will be closely related at the same time. Small to medium data sets are ideal for this approach. Up to this point, 66% F1-score has been achieved with as few as 1000 training instances on the SemEval-2014 dataset. Because of the SemEval-2016 dataset's hierarchical

category structure, we cannot apply our model using our present approach parameters. Nevertheless, we are actively striving to enhance the outcome in our next studies.

REFERENCES

[1] Wang Bo, Liu Min. Deep learning for aspect-based sentiment analysis. Stanford University Report.2015.

[2] Schouten K, Frasincar F. Survey on aspect-level sentiment analysis, IEEE Trans Knowl Data Eng.2016; 28(3):813-830.

[3] Kiritchenko S, Zhu X, Cherry C, Mohammad S. NRC-Canada-2014: detecting aspects and sentiment in customer reviews. Paper presented at: Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014); 2014:437-442; The Association for Computer Linguistics.

[4] Alghunaim A, Mohtarami M, Cyphers S, Glass J. A vector space approach for aspect based sentiment analysis. Paper presented at: Proceedings of the VS@HLT-NAACL: The Association for Computational Linguistics; 2015:116- 122.

[5] Zhou X, Wan X, Xiao J. Representation learning for aspect category detection in online reviews. Paper presented at: Proceedings of the 29th AAAI Conference on Artificial Intelligence; 2015:417-424; AAAI Press.Computer Science & Engineering: An International Journal (CSEIJ), Vol 12, No 1, February 2022 124

[6] Blinov P, Kotelnikov EV.. Blinov: Distributed representations of words for aspect-based sentiment analysis at SemEval 2014. Paper presented at: Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014); 2014:140-144; The Association for Computer Linguistics.

[7] Schouten K, Frasincar F, Jong F. COMMIT-P1WP3: a co-occurrence based approach to aspect-level sentiment analysis. Paper presented at: Proceedings of the 8th international workshop on semantic evaluation (SemEval 2014); 2014:203-207; The Association for Computer Linguistics.

[8] Schouten K, Weijde O, Frasincar F, Dekker R. Supervised and unsupervised aspect category detection for sentiment analysis with co-occurrence data. IEEE Trans Cybern. 2018;48(4):1263-1275.

[9] Bornebusch F, Cancino G, Diepenbeck M, et al. iTac: aspect based sentiment analysis using sentiment trees and dictionaries. Paper presented at: Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval2014); 2014:351-355; The Association for Computer Linguistics.

[10] Schouten K, Frasincar F, Jong F. Ontology-enhanced aspect-based sentiment analysis. Paper presented at: Proceedings of the International Conference on Web Engineering; vol. 10360; 2017:302-320; Springer.

[11] Patra BG, Mandal S, Das D, Bandyopadhyay S. JU_CSE: A conditional random field (crf) based approach to aspect based sentiment analysis. Paper presented at: Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014); 2014:370-374; The Association for Computer Linguistics.

[12] García-Pablos A, Cuadros M, Rigau G. W2VLDA: almost unsupervised system for aspect based sentiment analysis. Expert Syst Appl. 2018;91:127-137.

[13] Liu B, Hu M, Cheng J. Opinion observer: analyzing and comparing opinions on the web. Paper presented at: Proceedings of the 14th International Conference on World Wide Web; 2005:342- 351; ACM.

[14] Hai Z, Chang K, Kim J-J. Implicit feature identification via co-occurrence association rule mining. Paper presented at: Proceedings of the International Conference on Intelligent Text Processing and Computational Linguistics; vol. 6608, 2011:393-404; Springer.